



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA133778**

## **Product Info**

**Date of Certification** April 15, 2025

**Company** ELECOM Co., Ltd.

Product Name Enterprise AP

Product Model Variant 11be Wireless Access Point with PoE

Model Number WAB-BE36-M

**Category** Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2024-10



**Certification ID: WFA133778** 



## **Summary of Certifications (continued)**

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

**Spectrum & Regulatory** 

Spectrum & Regulatory

**Features** 



**Certification ID: WFA133778** 



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Linux 5.4.271

Wi-Fi Component Firmware

0.0.11

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz WPA3™-Enterprise 2022-12

WPA2™-Personal 2021-01

EAP methods

192-bit security

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

WPA3™-Personal 2024-10

AKM 24

Beacon Protection

**Protected Management Frames** 

Wi-Fi Agile Multiband™

**Spectrum & Regulatory** 

802.11d

802.11h

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

**WMM®** 

WPA2™-Enterprise 2018-04

EAP methods



**Certification ID: WFA133778** 



Role: Access Point Page 4 of 5

### Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration – AP restart

### Wi-Fi CERTIFIED 7™ (continued)

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

**STBC** 

SU beamformer

### Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

### Wi-Fi Enhanced Open™ 2023-12



**Certification ID: WFA133778** 



Role: Access Point	Page 5 of 5
Wi-Fi Protected Setup™	
PIN Pushbutton	