



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

### **Certification ID: WFA133786**

#### **Product Info**

**Date of Certification** December 10, 2024

Company Honeywell Safety and Productivity Solutions

Product Name mobile computer

Product Model Variant CT32X1

Model Number CT32X1

**Category** Phones

**Sub-category** Smartphone

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Applications & Services** Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04





Page 2 of 7

**Certification ID: WFA133786** 

Summary of Certifications (continued)	

CLASSIFICATION CERTIFICATION

Security WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA133786** 



**Role: Access Point** Page 3 of 7

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 14

Wi-Fi Component Firmware

**WLAN.HSP.1.1.5** 

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6®

20 MHz Channel Width in 2.4 GHz A-MPDU with A-MSDU

LDPC Rx

LDPC Rx

STBC

LDPC Tx **5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

**Protected Management Frames** 

LDPC Tx

**Spectrum & Regulatory** Short Guard Interval

802.11d

802.11h

**WMM®** 

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

**WMM®-Power Save** 

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC





**Certification ID: WFA133786** 







Role: Station	Page 5 of 7
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture
Android 14  Wi-Fi Component Firmware  WLAN.HSP.1.1.5	Bands Supported Transmit (Tx) Receive (Rx)  2.4 GHz 2 2  5 GHz 2 2  6 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	Voice-Enterprise
20 MHz Channel Width in 2.4 GHz	WMM®
5 GHz Spectrum Capabilities	WMM®-Admission Control
20 MHz Channel Width in 5 GHz	WMM®-Power Save
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04
6 GHz Spectrum Capabilities  20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP methods  EAP TLS  EAP TTLS  PEAPv0  PEAPv1
Protected Management Frames	WPA2™-Personal 2021-01
Spectrum & Regulatory	WPA3™-Enterprise 2022-12  EAP methods
802.11d 802.11h	EAP TLS EAP TTLS PEAPv0





**Certification ID: WFA133786** 

Role: Station Page 6 of 7

#### WPA3™-Enterprise 2022-12 (continued)

PEAPv1

192-bit security

192-bit security RSA 3K with the TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384 cipher suite

Server Certificate Validation

#### Wi-Fi CERTIFIED 6® (continued)

SU-MIMO

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

#### WPA3™-Personal 2023-12

#### Wi-Fi Agile Multiband™

**ANQP** 

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

## Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU-MIMO

DL MU PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

#### Wi-Fi Direct®

Wi-Fi Direct with WPA2





**Certification ID: WFA133786** 

Role: Station

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Default DSCP to UP mapping
DSCP QoS Map
Mirrored Stream Classification Service
MSCS setup at association
Stream Classification Service