



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133804

Product Info

Date of Certification	December 30, 2024
Company	The Light Phone Inc.
Product Name	Light Phone III
Product Model Variant	TLP301
Model Number	TLP301
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM®
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2024-10



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133804



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

WLAN.HL.3.4.3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133804



Role: Station

Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

WLAN.HL.3.4.3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval
STBC
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Power Management
Short Guard Interval
STBC

Wi-Fi Direct®

Wi-Fi Direct with WPA2

Wi-Fi Protected Setup™



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133804



Role: Station

Page 4 of 4

Wi-Fi Protected Setup™ (continued)

PIN