



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133917

Product Info

Date of Certification January 15, 2025

Company Fortinet Inc.

Product Name FortiAP-243K

Product Model Variant FortiAP-243K

Model Number FortiAP-243K

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10



Certification ID: WFA133917



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA133917



Role: Access Point		P	Page 3 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
FortiAP	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
7.6	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Passpoint® Rele	Passpoint® Release 3 (continued)		
20 MHz Channel Width in 2.4 GHz	Venue Information			
40 MHz Channel Width in 2.4 GHz				
	Protected Management Frames			
5 GHz Spectrum Capabilities	Spectrum & Reg	Spectrum & Regulatory		
20 MHz Channel Width in 5 GHz		,		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	802.11d 802.11h			
160 MHz Channel Width in 5 GHz	002.1111			
	WMM®			
6 GHz Spectrum Capabilities	WAME Berry Co			
20 MHz Channel Width in 6 GHz	WMM®-Power Sa	ive		
40 MHz Channel Width in 6 GHz	Legacy Power Save			
80 MHz Channel Width in 6 GHz	Unschedule auto PS			
160 MHz Channel Width in 6 GHz				
Passpoint® Release 3	WPA2™-Enterpri	se 2018-04		
- r usepsiinte reacuse s	EAP methods			
Roaming Consortium Selection				
Terms and Conditions	WPA2™-Persona	l 2021-01		



Certification ID: WFA133917



Role: Access Point Page 4 of 5

WPA3™-Enterprise 2022-12

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

WPA3™-Personal 2024-10

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Beacon Protection

SAE-Public Key

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n



Certification ID: WFA133917



Role: Access Point

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12