

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133923

Product Info

Date of Certification	April 18, 2025	
Company	Wistron NeWeb Corporation	
Product Name	5G Router	
Product Model Variant	ID1	
Model Number	ID1	
Category	Routers	
Sub-category	Access Point for Home or Small Office (Wireless Router)	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2024-10

This certificate was downloaded on **2025-04-19** at **15:00:44** UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133923



Role: Access Point

Wi-Fi Components

Page 2 of 3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2024-10

AKM 24 Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode subfield in A-Control field Operating mode indication Operating mode UL MU Rx SU beamformer SU-MIMO **TXOP RTS Threshold UL OFDMA**

This certificate was downloaded on 2025-04-19 at 15:00:44 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133923



Role: Access Point

Page 3 of 3

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU **BSRP** Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) Compressed Block Ack Rx (buffer size 512) Compressed Block Ack Tx (buffer size 512) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) LDPC Rx LDPC Tx Load Balancing in MLO MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MCS 12-13 Rx MCS 12-13 Tx Multi-RU **MU-RTS** Trigger frame Operating mode indication STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization UL MU-MIMO **UL OFDMA**

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO

Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC

This certificate was downloaded on 2025-04-19 at 15:00:44 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.