



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133938

Product Info

Date of Certification January 2, 2025

Company Sonim Technologies, Inc.

Product Name XP3plus 5G

Product Model Variant X320(S1301)

Model Number X320

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Location™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12



Certification ID: WFA133938



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION (

CERTIFICATION

Security WPA3[™]-Personal 2023-12



Certification ID: WFA133938



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

3.4.3.0.488.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval



Certification ID: WFA133938



Role: Station		P	Page 4 of 5	
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 3.4.3.0.488.0	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Admission Control			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WMM®-Power Sav	/e		
	Legacy Power Save			
5 GHz Spectrum Capabilities	Unschedule auto PS			
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	se 2018-04		
40 MHz Channel Width in 5 GHz				
80 MHz Channel Width in 5 GHz	EAP methods EAP AKA			
Paganaint® Balagas 2	EAP AKA Prime			
Passpoint® Release 3	EAP SIM			
ANQP-element for OSU provider selection	EAP TLS EAP TTLS			
Roaming Consortium Selection	PEAPv0			
Terms and Conditions Private and secure terms and conditions	PEAPv1			
Venue Information				
	WPA2™-Personal	2021-01		
Protected Management Frames	WPA3™-Enterpris	se 2022-12		
Voice-Enterprise	EAP methods			
WMM®	EAP AKA Prime			
WMM®	EAP AKA Prime			



Certification ID: WFA133938



Role: Station Page 5 of 5

WPA3™-Enterprise 2022-12 (continued)

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

Wi-Fi Direct® (continued)

Wi-Fi Direct with WPA2

Wi-Fi Location™

Fine Timing Measurement 2017

Wi-Fi Protected Setup™

PIN

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Direct®