

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133994

Product Info

Date of Certification	January 8, 2025
Company	CipherLab Co., Ltd.
Product Name	Mobile computer
Product Model Variant	RS36W6O
Model Number	RS36W6O
Category	Other
Sub-category	Other

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133994



Role: Station	Pa	Page 2 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 12	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
version 18.35.387.23.1301.58 (150ad0cf@SYNA) FWID 01-cabed6e3	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)		
20 MHz Channel Width in 2.4 GHz	PEAPv1		
5 GHz Spectrum Capabilities	WPA2™-Personal 2021-01		
20 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2022-12		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
	EAP TLS		
Protected Management Frames	EAP TTLS PEAPv0		
	PEAPv1		
Spectrum & Regulatory	Server Certificate Validation		
802.11h			_
	WPA3™-Personal	2022-06	
WMM®	Wi-Fi Agile Multiband™		
WPA2™-Enterprise 2018-04	Beacon Report Measure	ement Active Mode	
EAP methods	Beacon Report Measurement Passive Mode		
EAP TLS	BTM Query		
EAP TTLS PEAPv0	Wi-Fi CERTIFIED	6®	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA133994



Role: Station

Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame DL MU-MIMO DL MU PPDU multi-tone LDPC Tx LDPC Rx MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame Operating mode indication SU beamformee UL OFDMA UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel

Short Guard Interval