



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA121553

Product Info

Date of Certification	January 7, 2025
Company	NXP Semiconductors
Product Name	Aw690
Product Model Variant	AW690-R10.13
Model Number	AW690
Category	Other
Sub-category	Reference Design

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12



Certification ID: WFA121553



Summary of Certifications (continued)Page 2 of 7CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory

This certificate was downloaded on 2025-01-08 at 12:21:51 UTC



Wi-Fi CERTIFIED[™] Certificate





Role: Access Point Page 3 of 7 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Linux Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 p149.55 5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

Max Throughput

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2023-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx SU-MIMO TXOP RTS Threshold

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8 Rx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval



Certification ID: WFA121553



Page 4 of 7

Role: Access Point

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode OBSS on Extension Channel Short Guard Interval A-MPDU Tx

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN

Pushbutton



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA121553



Role: Station Page 5 of 7 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Linux Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 p149.55 5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods
40 MHz Channel Width in 2.4 GHz	EAP AKA
	EAP AKA Prime
5 GHz Spectrum Capabilities	EAP FAST-GTC
	EAP FAST-MSCHAPv2
20 MHz Channel Width in 5 GHz	EAP SIM EAP TLS
40 MHz Channel Width in 5 GHz	EAP TLS
80 MHz Channel Width in 5 GHz	PEAPv0
	PEAPv1
Protected Management Frames	
Spectrum & Regulatory	WPA2™-Personal 2021-01
802.11d	WPA3™-Enterprise 2022-12
802.11h	EAP methods
	EAP AKA
WMM®	EAP AKA Prime
	EAP FAST-MSCHAPv2
Max Throughput	EAP FAST-GTC
	EAP SIM
	EAP TLS
WPA2™-Enterprise 2018-04	EAP TTLS PEAPv0



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA121553



Role: Station

Page 6 of 7

WPA3[™]-Enterprise 2022-12 (continued) Wi-Fi CERTIFIED 6® (continued) PEAPv1 MU-RTS Trigger frame 192-bit security Operating mode control field 192-bit security RSA 3K with the SU beamformee TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher SU-MIMO suite **UL OFDMA** 192-bit security RSA 3K with the UL TB PPDU multi-tone TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite Server Certificate Validation WPA3[™]-Personal 2023-12 Wi-Fi CERTIFIED[™] ac

Wi-Fi CERTIFIED™ a

Wi-Fi Agile Multiband™

ANQP ANQP-based Neighbor report **BTM Query** Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Beamforming sounding **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL MU PPDU multi-tone HE NDP LDPC Tx LDPC Rx MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element MU-BAR Trigger frame

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8 Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode **OBSS** on Extension Channel Power Management Short Guard Interval



Certification ID: WFA121553



Role: Station

Wi-Fi Direct®

Wi-Fi Direct with WPA2

Wi-Fi Enhanced Open[™] 2023-12

Wi-Fi Protected Setup™

PIN Pushbutton Page 7 of 7