



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA127411

### Product Info

<b>Date of Certification</b>	January 9, 2025
<b>Company</b>	Intel
<b>Product Name</b>	Intel® Wi-Fi 7 BE200
<b>Product Model Variant</b>	Add proximity detection
<b>Model Number</b>	BE200
<b>Category</b>	Computers & Accessories
<b>Sub-category</b>	External Adapter

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Applications &amp; Services</b>	Proximity Detection
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127411



## Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION	CERTIFICATION
Security	WPA3™-Personal 2023-12
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127411



Role: Station

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Windows 11

### Wi-Fi Component Firmware

95.91de6778.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz  
320 MHz channel width in 6 GHz

### Protected Management Frames

### Proximity Detection

### Proximity Detection (continued)

Proximity Detection role  
Initiating STA for Proximity Detection  
Responding STA for Proximity Detection

### Spectrum & Regulatory

802.11d  
802.11h

### WMM®

### WMM®-Power Save

Legacy Power Save  
Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
EAP TTLS



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127411



Role: Station

Page 4 of 5

## WPA2™-Enterprise 2018-04 (continued)

PEAPv0

## WPA2™-Personal 2021-01

## WPA3™-Enterprise 2022-12

EAP methods

EAP TLS

EAP TTLS

PEAPv0

192-bit security

192-bit security RSA 3K with the  
TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384  
cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Server Certificate Validation

## WPA3™-Personal 2023-12

AKM 24

Beacon Protection

## Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Fast Transition OTA on WPA2-Enterprise

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

## Wi-Fi CERTIFIED 6® Release 2 (continued)

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

## Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127411



Role: Station

Page 5 of 5

## Wi-Fi CERTIFIED 7™ (continued)

Beamforming sounding  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)  
Compressed Block Ack Tx (buffer size 512)  
DL MU-MIMO  
Dynamic MU SMPS  
EMLSR (Enhanced Multilink Single-Radio)  
EPCS (Emergency Preparedness Communications Services) priority access  
LDPC Rx  
LDPC Tx  
Load Balancing in MLO  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 12-13 Rx  
MCS 12-13 Tx  
Multi-link reconfiguration – AP removal  
Multi-link reconfiguration – AP restart  
Multi-RU  
Operating mode indication  
    Operating mode indication for 320 MHz  
Static puncturing  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

## Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Power Management  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi QoS Management™

Default DSCP to UP mapping  
DSCP QoS Map  
Mirrored Stream Classification Service