

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA134119

Product Info

Date of Certification April 2, 2025

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant AirEngine5776-57T

Model Number AirEngine5776-57T

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA134119



Role: Access Point		Page 2 of 3	
/i-Fi Components			
Vi-Fi Component Operating System	RF Architecture		
HongMeng Wi-Fi Component Firmware Ver.A	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
rei.A	5 GHz	2	2
	6 GHz	2	2
ertifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods		
	WPA2™-Personal 2021-01		
5 GHz Spectrum Capabilities	WPA3™-Enterprise 2022-12		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
	WPA3™-Personal 2024-10		
6 GHz Spectrum Capabilities	AKM 24		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	Beacon Protection		
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	Wi-Fi Agile Multiband™		
320 MHz channel width in 6 GHz	Automatically populate BSS Transition candidate list Cellular Data aware		
Protected Management Frames			
WMM®	Wi-Fi CERTIFIED	6® Release 2	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA134119



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6 Release 2 features

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED 7™ (continued)

MCS 8-9 Tx

Multi-RU

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC