



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA134180

Product Info

Date of Certification January 16, 2025

Company Sonim Technologies, Inc.

Product Name XP Pro

Product Model Variant X800

Model Number X800

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise Wi-Fi Location™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™





Summary of Certifications (continued)		Page 2 of 8
CLASSIFICATION	CERTIFICATION	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA134180



Role: Access Point Page 3 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

WLAN.MSL.3.0-00417-QCAMSLSWPLZ1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Compressed Block Ack Rx (buffer size 256)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

SU beamformer

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Page 4 of



Terms and Conditions

Wi-Fi CERTIFIED™ Certificate



Role: Station	Page 5 of 8			
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 14	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
WLAN.MSL.3.0- 00417- QCAMSLSWPLZ1	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Passpoint® Relea	se 3 (continued)	
20 MHz Channel Width in 2.4 GHz	Venue Information			
40 MHz Channel Width in 2.4 GHz				
5 GHz Spectrum Capabilities	Protected Manage	ement Frames		
	Spectrum & Regu	latory		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	802.11h			
80 MHz Channel Width in 5 GHz				
160 MHz Channel Width in 5 GHz	Voice-Enterprise			
6 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 6 GHz	WMM®-Admission	WMM®-Admission Control		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	WMM®-Power Sa	/e		
160 MHz Channel Width in 6 GHz				
	Legacy Power Save Unschedule auto PS			
Passpoint® Release 3	Silesticado dato i o			
Roaming Consortium Selection	WPA2™-Enterpris	se 2018- <u>04</u>		





Certification ID: WFA134180

Role: Station Page 6 of 8

WPA2[™]-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

WPA3™-Personal 2023-12

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee





ole: Station	Paç
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx DBSS on Extension Channel Power Management Short Guard Interval	
Vi-Fi Direct®	
Wi-Fi Direct with WPA2	
Wi-Fi Enhanced Open™ 2023-12	
Vi-Fi Location™	
Fine Timing Measurement 2017	
Wi-Fi Protected Setup™	
PIN Pushbutton	





Role: Source	Page 8 of 8		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 14 Wi-Fi Component Firmware WLAN.MSL.3.0- 00417- QCAMSLSWPLZ1	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications	_		
Miracast®			