

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA134196**

## **Product Info**

Data of Cartification	January 22, 2025
Date of Certification	January 22, 2025
Company	Hewlett Packard Enterprise
Product Name	AP-734A
Product Model Variant	AP-734A
Model Number	AP-734A
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7 <sup>™</sup> Wi-Fi CERTIFIED <sup>™</sup> a Wi-Fi CERTIFIED <sup>™</sup> ac Wi-Fi CERTIFIED <sup>™</sup> n Wi-Fi Enhanced Open <sup>™</sup> 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2024-10
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA134196



Role: Access Point	Page 2 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System	<b>RF</b> Architecture		
Linux Wi-Fi Component Firmware	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
AOS10	5 GHz	2	2
	6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)	

Spectrum & Regulatory		
Protected Management Frames	WPA3™-Personal 2024-10	
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	EAP methods 192-bit security	
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	WPA3™-Enterprise 2022-12	
6 GHz Spectrum Capabilities 20 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-01	
	EAP methods	
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Max Throughput	
5 GHz Spectrum Capabilities	WMM®	
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h	



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA134196



#### **Role: Access Point**

### Page 3 of 4

#### WPA3<sup>™</sup>-Personal 2024-10 (continued)

AKM 24 Beacon Protection

#### Wi-Fi Agile Multiband™

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame Operating mode indication SU beamformer SU-MIMO TXOP RTS Threshold **UL OFDMA** Wi-Fi 6E Co-located BSS Wi-Fi 6 Release 2 features

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

UL MU-MIMO UL MU Control Target Wake Time information frames Dynamic MU SMPS Preamble Puncturing

#### Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping A-MPDU with A-MSDU Beamforming sounding **BSRP** Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) EPCS (Emergency Preparedness Communications Services) priority access LDPC Rx LDPC Tx Load Balancing in MLO MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MCS 12-13 Rx MCS 12-13 Tx Multi-link reconfiguration - AP removal Multi-link reconfiguration - AP restart Multi-RU MU-RTS Trigger frame Operating mode indication



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA134196** 



## **Role: Access Point**

# Page 4 of 4

#### Wi-Fi CERTIFIED 7<sup>™</sup> (continued)

Operating mode indication for 320 MHz Static puncturing STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization UL MU-MIMO UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
Extended 5 GHz Channel Support
LDPC Rx
LDPC Tx
MCS 8 Rx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Short Guard Interval STBC

#### Wi-Fi Enhanced Open<sup>™</sup> 2023-12