



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA130572

Product Info

Date of Certification	January 24, 2025
Company	NXP Semiconductors
Product Name	W8997
Product Model Variant	8997-p149.1
Model Number	W8997
Category	Other
Sub-category	Reference Design

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2024-10
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA130572



Role: Access Point		Pa	age 2 of 5	
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture			
Linux Wi-Fi Component Firmware p149.1	Bands Supported 2.4 GHz 5 GHz	Transmit (Tx) 2 2	Receive (Rx) 2 2	
Certifications				
2.4 GHz Spectrum Capabilities	WPA3™-Personal	WPA3™-Personal 2024-10		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED ⁺	Wi-Fi CERTIFIED™ a		
	Wi-Fi CERTIFIED ^T	м ас		
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	A-MPDU with A-MSDU Extended 5 GHz Chann LDPC Rx LDPC Tx MCS 8-9 Rx RTS with BW Signaling	Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8-9 Rx		
Protected Management Frames	Short Guard Interval			
Spectrum & Regulatory				
802.11d	Wi-Fi CERTIFIED ⁺	[™] b		

802.11h

WMM®

Max Throughput

WPA2[™]-Personal 2021-01

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED™ g

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval



Certification ID: WFA130572



Page 3 of 5

Role: Access Point

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA130572



Role: Station		P	age 4 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
p149.1	5 GHz	2	2	
	0.0112	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04 (cont	inued)	
20 MHz Channel Width in 2.4 GHz	EAP methods			
40 MHz Channel Width in 2.4 GHz	EAP TLS			
	EAP TTLS PEAPv0			
5 GHz Spectrum Capabilities	PEAPv1			
20 MHz Channel Width in 5 GHz			_	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA2™-Personal	2021-01		
	WPA3™-Enterpris	e 2022-12		
Protected Management Frames	EAP methods			
Creatives & Descriptions	EAP TLS			
Spectrum & Regulatory	EAP TTLS			
802.11d	PEAPv0			
802.11h	192-bit security	PEAPv1		
	192-bit security RSA	A 3K with the		
WMM®	TLS_DHE_RSA_WI suite	TH_AES_256_GCM	_SHA384 cipher	
Max Throughput	192-bit security RSA TLS_ECDHE_RSA_ cipher suite	A 3K with the _WITH_AES_256_G	CM_SHA384	
WPA2™-Enterprise 2018-04	Server Certificate Valida	tion		
	WP∆3™-Personal	2024-10		

WPA3[™]-Personal 2024-10



Certification ID: WFA130572



Role: Station

Page 5 of 5

Wi-Fi Agile Multiband™	Wi-Fi Protected Setup™ (continued)
Wi-Fi CERTIFIED™ a	PIN
Wi-Fi CERTIFIED™ ac	Pushbutton
Extended 5 GHz Channel Support	
RTS with BW Signaling A-MPDU with A-MSDU	
DL MU-MIMO	
LDPC Rx	
MCS 8-9 Rx	
Short Guard Interval LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Power Management Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Direct with WPA2	
Wi-Fi Enhanced Open™ 2023-12	
Wi-Fi Protected Setup™	