

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA134213**

# **Product Info**

**Date of Certification** February 10, 2025

Company TP-Link Systems Inc.

Product Name BE7200 Dual Band Wi-Fi 7 XGS-PON Router

Product Model Variant XGB430v Pro

Model Number XGB430v Pro

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2024-10

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA134213** 



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux version 5.4.55

Wi-Fi Component Firmware

V1.0

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 4

5 GHz 4 4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

WPA3™-Personal 2024-10 (continued)

AKM 24

Beacon Protection

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Wi-Fi Agile Multiband™
Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

**Protected Management Frames** 

**Spectrum & Regulatory** 

802.11d

802.11h

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA134213** 



Role: Access Point Page 3 of 3

### Wi-Fi CERTIFIED 6® (continued)

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

**BSRP** Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

## Wi-Fi CERTIFIED 7™ (continued)

**UL OFDMA** 

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC