



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA134261** 

## **Product Info**

**Date of Certification** January 22, 2025

Company Calix Inc.

Product Name GS5239XG

Product Model Variant GS5239E

Model Number GS5239XG

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2024-10

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA134261** 



cture  poorted Transm 2 4 4 4  Regulatory (co	2 4 4
pported Transm 2 4 4	2 4 4
2 4 4	2 4 4
4	4
4	4
4	4
·	·
& Regulatory (co	ntinued)
& Regulatory (co	ntinued)
Interprise 2018-0	1
8	
•	
Personal 2021-01	
Interprise 2022-1	2
	prise
on OTA on WPA3-Ente	prise transition mode
on OTA on WPA3-Ente	
on OTA on WPA3-Ente	
	ls rity ion OTA on WPA3-Enter ion OTA on WPA3-Enter



Certification ID: WFA134261



Role: Access Point Page 3 of 4

WPA3™-Personal 2024-10 (continued)

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

**Beacon Protection** 

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

**BSRP** Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

**UL MU-MIMO** 

Wi-Fi CERTIFIED 6® Release 2 (continued)

**UL MU Control** 

Target Wake Time information frames

Extended sleep

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL MU-MIMO** 

UL OFDMA

Wi-Fi CERTIFIED™ a





**Certification ID: WFA134261** 

# Role: Access Point Wi-Fi CERTIFIED™ ac A-MPDU with A-MSDU DL MU-MIMO Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8-9 Rx RTS with BW Signaling

## Wi-Fi CERTIFIED™ b

Short Guard Interval

SU beamformer

STBC

## Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

## Wi-Fi Enhanced Open™ 2023-12