



# Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org](http://www.wi-fi.org)

## Certification ID: WFA134270

### Product Info

<b>Date of Certification</b>	January 22, 2025
<b>Company</b>	Cisco Systems Inc.
<b>Product Name</b>	Cisco Catalyst CW9800M Wireless Controller and Cisco CW9172I AP
<b>Product Model Variant</b>	Cisco IOS XE: 17.17
<b>Model Number</b>	CW9800M with CW9172I
<b>Category</b>	Routers
<b>Sub-category</b>	Enterprise/Service Provider Access Point, Switch/Controller or Router

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Network management</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2024-10 Wi-Fi Enhanced Open™ 2023-12
<b>Wi-Fi (MAC/PHY)</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

This certificate was downloaded on **2026-04-02** at **21:56:37** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED® Certificate

Certification ID: WFA134270



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, Version: 17.17

### Wi-Fi Component Firmware

17.17

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

Standard power  
20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz  
320 MHz channel width in 6 GHz

### Protected Management Frames

### Spectrum & Regulatory

### Spectrum & Regulatory (continued)

802.11d  
802.11h

### WMM®

### WMM®-Power Save

Legacy Power Save  
Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods  
192-bit security  
Fast Transition OTA on WPA3-Enterprise

This certificate was downloaded on **2026-04-02** at **21:56:37** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED® Certificate

Certification ID: WFA134270



Role: Access Point

Page 3 of 4

## WPA3™-Enterprise 2022-12 (continued)

Fast Transition OTA on WPA3-Enterprise transition mode  
Fast Transition OTDS on WPA3-Enterprise

## WPA3™-Personal 2024-10

AKM 24  
AKM 25  
Fast Transition OTA on WPA3-Personal  
Fast Transition OTA on WPA3-Personal transition mode  
Fast Transition OTDS on WPA3-Personal  
Beacon Protection

## Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list  
Fast Transition OTA on WPA2-Enterprise  
Fast Transition OTA on WPA2-Personal

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element

## Wi-Fi CERTIFIED 6® Release 2 (continued)

MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode subfield in A-Control field  
Operating mode indication  
Operating mode UL MU Rx  
SU beamformer  
SU-MIMO  
UL OFDMA  
Wi-Fi 6E  
Co-located BSS  
Multiple M-BSSID  
Wi-Fi 6 Release 2 features  
UL MU Control  
UL Extended Range  
Target Wake Time information frames  
Extended sleep  
Dynamic MU SMPS

## Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)  
Compressed Block Ack Tx (buffer size 512)  
DL OFDMA  
Dynamic MU SMPS  
EMLSR (Enhanced Multilink Single-Radio)  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx

This certificate was downloaded on **2026-04-02** at **21:56:37** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



# Wi-Fi CERTIFIED® Certificate

Certification ID: WFA134270



Role: Access Point

Page 4 of 4

## Wi-Fi CERTIFIED 7™ (continued)

MCS 10-11 Rx  
 MCS 10-11 Tx  
 MCS 12-13 Tx  
 Multi-RU  
 MU-RTS Trigger frame  
 Operating mode indication  
     Operating mode indication for 320 MHz  
 Static puncturing  
 STR (Simultaneous Transmit and Receive)  
 SU-MIMO  
 Triggered uplink access optimization  
 UL OFDMA

## Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel  
 Short Guard Interval  
 STBC

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
 Extended 5 GHz Channel Support  
 LDPC Rx  
 LDPC Tx  
 MCS 8-9 Rx  
 RTS with BW Signaling  
 Short Guard Interval  
 STBC  
 SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx

This certificate was downloaded on **2026-04-02** at **21:56:37** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.