

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA134378

Product Info

Date of Certification	January 27, 2025
Company	Huawei Technologies Co., Ltd.
Product Name	Wireless LAN Access Point
Product Model Variant	AirEngine6776-58TI-K
Model Number	AirEngine6776-58TI-K
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED ™ a Wi-Fi CERTIFIED ™ ac Wi-Fi CERTIFIED ™ b Wi-Fi CERTIFIED ™ g Wi-Fi CERTIFIED ™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



WPA2[™]-Enterprise 2018-04

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA134378



Role: Access Point Page 2 of 4 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture HongMeng Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 Ver.A 5 GHz 4 4 6 GHz 2 2 Certifications WPA2[™]-Enterprise 2018-04 (continued) 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz EAP methods 40 MHz Channel Width in 2.4 GHz WPA2[™]-Personal 2021-01 **5 GHz Spectrum Capabilities** WPA3[™]-Enterprise 2022-12 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz EAP methods 80 MHz Channel Width in 5 GHz 192-bit security 160 MHz Channel Width in 5 GHz WPA3[™]-Personal 2023-12 **6 GHz Spectrum Capabilities** AKM 24 20 MHz Channel Width in 6 GHz **Beacon Protection** 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz Wi-Fi Agile Multiband™ 160 MHz Channel Width in 6 GHz Wi-Fi CERTIFIED 6® **Protected Management Frames** 4 antenna support **WMM**® A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA134378



Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element Operating mode indication SU-MIMO **UL OFDMA** Wi-Fi 6E Co-located BSS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU BSRP Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 512) Compressed Block Ack Rx (buffer size 512) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) LDPC Rx LDPC Tx MCS 8-9 Rx

Page 3 of 4

Wi-Fi CERTIFIED 7[™] (continued)

MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx Multi-RU Operating mode indication Static puncturing STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization UL MU-MIMO UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval STBC

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA134378



Role: Access Point

Page 4 of 4

Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval STBC