

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA126882

Product Info

Date of Certification October 27, 2025

Company Robert Bosch GmbH

Product Name Dual Mac MIMO Multimedia/Connectivity System

Product Model Variant CCS2 14.3 inch QC_CS632

Model Number Silverbox

Category Routers

Sub-category Mobile Access Point

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA126882



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android 12

Wi-Fi Component Firmware

2.2.0.0.632.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

Wi-Fi CERTIFIED™ ac (continued)

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ n

A-MPDU Tx

LDPC Tx MCS 8-9 Rx

STBC

Short Guard Interval

SU beamformer

OBSS on Extension Channel

Short Guard Interval

STBC

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU

LDPC Rx



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA126882



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android 12

Wi-Fi Component Firmware

2.2.0.0.632.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ ac (continued)

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC