

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA135304

Product Info

Date of Certification March 4, 2025

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant AirEngine5776-56T

Model Number AirEngine5776-56T

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA135304



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

HongMeng

Wi-Fi Component Firmware

Ver.A

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

WPA3™-Enterprise 2022-12 (continued)

EAP methods 192-bit security

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz160 MHz Channel Width in 5 GHz

WPA3™-Personal 2023-12

AKM 24
Beacon Protection

Wi-Fi Agile Multiband™

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

WPA2[™]-Personal 2021-01

WPA3™-Enterprise 2022-12

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA135304



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6 Release 2 features

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Multi-RU

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC