

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA75113

Product Info

Date of Certification December 21, 2017

Company MediaTek Inc.

Product Name Bianco

Product Model Variant 2017-12-21 (WFA75113 - 6598974)

Model Number MT6763+MT6630

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2™-Enterprise

WPA2™-Personal 2017-10

WPA™-Enterprise WPA™-Personal



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA75113

Role: Station	Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:8

Wi-Fi Component Firmware

ALPS.O

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2[™]-Enterprise (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise

WPA2™-Personal 2017-10

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA75113

ole: Station	Page 3 of
Wi-Fi CERTIFIED™ ac (continued)	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
RIFS	
Short Guard Interval	