



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128271

Product Info

Date of Certification	March 12, 2025
Company	Zebra Technologies
Product Name	MC9400
Product Model Variant	2025-03-11
Model Number	MC9400
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™
Security	Protected Management Frames



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION	CERTIFICATION
Security	WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Role: Station

Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

1.1.5.0.559.xx

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Passpoint® Release 3

ANQP-element for OSU provider selection

Display and input method

Display of HS2.0 indication

Passpoint® Release 3 (continued)

Fast Transition OTA on WPA2-Enterprise

NAI Home Realm Query element

Network Information in network selection

Operating Class Indication

Roaming Consortium Selection

SIM credentials

Terms and Conditions

Private and secure terms and conditions

USIM Credentials

Venue Information

Private and secure Venue Information

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

Voice-Enterprise

WMM®



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Role: Station

Page 4 of 5

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save
Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods
EAP AKA
EAP AKA Prime
EAP SIM
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods
EAP AKA
EAP AKA Prime
EAP SIM
EAP TLS
EAP TTLS
PEAPv0
PEAPv1
192-bit security
192-bit security RSA 3K with the
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
cipher suite
Fast Transition OTA on WPA3-Enterprise
Fast Transition OTA on WPA3-Enterprise transition mode
Fast Transition OTDS on WPA3-Enterprise
Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal
Fast Transition OTA on WPA3-Personal transition mode
Fast Transition OTDS on WPA3-Personal
Beacon Protection
SAE-Public Key
Operating Channel Validation

Wi-Fi Agile Multiband™

ANQP
ANQP-based Neighbor report
Beacon Report Measurement Active Mode
Beacon Report Measurement Passive Mode
BTM Query
Cellular Data capable
Fast Transition OTA on WPA2-Personal
Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU
Beamforming sounding
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
HE NDP
LDPC Tx
LDPC Rx
Individual Target Wake Time
MCS 10-11 Rx
MCS 10-11 Tx
MCS 8-9 Rx
MCS 8-9 Tx
MU EDCA Parameter Set element



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Role: Station

Page 5 of 5

Wi-Fi CERTIFIED 6® Release 2 (continued)

- MU-BAR Trigger frame
- MU-RTS Trigger frame
- M-BSSID
- Operating mode control field
- Operating mode subfield in A-Control field
- Operating mode indication
- SU beamformee
- SU-MIMO
- UL OFDMA
- Wi-Fi 6E
 - Multiple M-BSSID
- Wi-Fi 6 Release 2 features
 - UL MU-MIMO
 - UL MU Control
 - Target Wake Time information frames
 - Broadcast Target Wake Time
 - M-BSSID control frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

- Extended 5 GHz Channel Support
- RTS with BW Signaling
- A-MPDU with A-MSDU
- DL MU-MIMO
- LDPC Rx
- MCS 8-9 Rx
- Short Guard Interval
- STBC
- LDPC Tx
- SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

- A-MPDU Tx
- OBSS on Extension Channel
- Short Guard Interval
- STBC

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity™ 2020

- Active Scan
- Fast Transition OTA on WPA2-Enterprise
- Pushbutton

Wi-Fi QoS Management™

- Default DSCP to UP mapping
- DSCP QoS Map
- DSCP Policy
- Mirrored Stream Classification Service
- Stream Classification Service