



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA135531**

## Product Info

<b>Date of Certification</b>	March 12, 2025
<b>Company</b>	Tozed Kangwei Tech Co., Ltd
<b>Product Name</b>	5G Wireless Router
<b>Product Model Variant</b>	ZLT S200A
<b>Model Number</b>	ZLT S200
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2024-10
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA135531



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

V2.0.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	3	3

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
 40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
 40 MHz Channel Width in 5 GHz  
 80 MHz Channel Width in 5 GHz  
 160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d  
 802.11h

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2024-10

### Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
 Basic Trigger frame in HE MU PPDU  
 BSRP Trigger frame  
 Compressed Block Ack Rx (buffer size 256)  
 Compressed Block Ack Tx (buffer size 256)  
 DL MU-MIMO  
 DL OFDMA  
 Individual Target Wake Time  
 LDPC Rx  
 LDPC Tx  
 MCS 8-9 Rx  
 MCS 8-9 Tx  
 MCS 10-11 Rx  
 MCS 10-11 Tx  
 MU EDCA Parameter Set element  
 MU-RTS Trigger frame  
 Operating mode subfield in A-Control field  
 Operating mode indication  
 Operating mode UL MU Rx  
 SU beamformer  
 SU-MIMO  
 TXOP RTS Threshold  
 UL OFDMA



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA135531



Role: Access Point

Page 3 of 4

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Short Guard Interval  
STBC



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA135531



**Role: Controller**

**Page 4 of 4**

## Wi-Fi Components

Wi-Fi Component Operating System

Linux

## Certifications

Wi-Fi EasyMesh™