



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA135923**

#### **Product Info**

**Date of Certification** April 17, 2025

**Company** Huawei Technologies Co., Ltd.

Product Name Optical Network Terminal

Product Model Variant OptiXstar K251a-22

Model Number OptiXstar K251a-22

**Category** Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12



**Certification ID: WFA135923** 



## **Summary of Certifications (continued)**

Page 2 of 6

**CLASSIFICATION** 

**CERTIFICATION** 

**Spectrum & Regulatory** 

Spectrum & Regulatory

**Features** 



**Certification ID: WFA135923** 



Role: Access Point		Page 3 of 6
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Linux	Bands Supported Ti	ransmit (Tx) Receive (Rx)
Wi-Fi Component Firmware V500	2.4 GHz 2	2
	5 GHz 2	2
Certifications		
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2	018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods	
40 MHz Channel Width in 2.4 GHz		
5 GHz Spectrum Capabilities	WPA2™-Personal 202	21-01
	WPA3™-Enterprise 2	022-12
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods	
80 MHz Channel Width in 5 GHz		
	WPA3™-Personal 202	23-12
Protected Management Frames	AKM 24	
Spectrum & Regulatory	Beacon Protection	
802.11d	Wi-Fi Agile Multiband	тм
802.11h	Cellular Data aware	
WMMA		
WMM®	Wi-Fi CERTIFIED 6® F	Release 2
WMM®-Power Save	A-MPDU with A-MSDU	
WPA2™-Enterprise 2018-04	Basic Trigger frame in HE MI BSRP Trigger frame	U PPDU



**Certification ID: WFA135923** 



Role: Access Point Page 4 of 6

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

**UL OFDMA** 

Wi-Fi 6 Release 2 features

Dynamic MU SMPS

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

**BSRP** Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

#### Wi-Fi CERTIFIED 7™ (continued)

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval



**Certification ID: WFA135923** 



Role: Access Point Page 5 of 6

### Wi-Fi CERTIFIED™ n (continued)

STBC

#### Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul in 5 GHz high band

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Fronthaul in 5 GHz high band

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Coordinated CAC

### Wi-Fi Protected Setup™

PIN

Pushbutton



**Certification ID: WFA135923** 



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™