



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA135957

Product Info

Date of Certification April 22, 2025

Company Huawei Technologies Co., Ltd.

Product Name Main FTTR(XGS-PON/GPON ONU)

Product Model Variant OptiXstar B866G-S2-5E4P5W6

Model Number OptiXstar B866G-S2-5E4P5W6

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12



Certification ID: WFA135957



Summary of Certifications (continued)

Page 2 of 6

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA135957



Role: Access Point	Page 3 of 6
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Linux	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware V500	2.4 GHz 2 2
	5 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods
5 GHz Spectrum Capabilities	WPA2™-Personal 2021-01
	WPA3™-Enterprise 2022-12
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	
	WPA3™-Personal 2023-12
Protected Management Frames	AKM 24
Spectrum & Regulatory	Beacon Protection
802.11d	Wi-Fi Agile Multiband™
802.11h	Cellular Data aware
www	
WMM®	Wi-Fi CERTIFIED 6® Release 2
WMM®-Power Save	A-MPDU with A-MSDU
WPA2™-Enterprise 2018-04	Basic Trigger frame in HE MU PPDU BSRP Trigger frame



Certification ID: WFA135957



Role: Access Point Page 4 of 6

Wi-Fi CERTIFIED 6® Release 2 (continued)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6 Release 2 features

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Wi-Fi CERTIFIED 7™ (continued)

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval



PIN Pushbutton

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA135957



Page 5 of 6 **Role: Access Point** Wi-Fi CERTIFIED™ n (continued) STBC Wi-Fi EasyMesh™ Backhaul Link Backhaul in 2.4 GHz Backhaul in 5 GHz low band Backhaul in 5 GHz high band Backhaul over Ethernet Fronthaul Access Point Fronthaul in 2.4 GHz Fronthaul in 5 GHz low band Fronthaul in 5 GHz high band Backhaul onboarding with Wi-Fi Protected Setup pushbutton Coordinated CAC Wi-Fi Protected Setup™



Certification ID: WFA135957



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™