



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA133611**

### **Product Info**

**Date of Certification** April 28, 2025

**Company** ZTE Corporation

Product Name Home Gateway

Product Model Variant ZXHN F8728D

Model Number ZXHN F8728D

**Category** Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2024-10

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA133611** 



Role: Access Point	Page 2 of 5		
Wi-Fi Components			
Wi-Fi Component Operating System	mponent Operating System RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
V1 0			

	5 GHz 4 4
	6 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h
5 GHz Spectrum Capabilities	WMM®
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA3™-Personal 2024-10  AKM 24
6 GHz Spectrum Capabilities	Beacon Protection
Standard power operation 20 MHz Channel Width in 6 GHz	Wi-Fi Agile Multiband™
40 MHz Channel Width in 6 GHz	Wi-Fi CERTIFIED 6® Release 2
80 MHz Channel Width in 6 GHz	
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	4 antenna support  A-MPDU with A-MSDU
320 MHz channel width in 6 GHz	Basic Trigger frame in HE MU PPDU
	Beamforming sounding
Protected Management Frames	BSRP Trigger frame

Spectrum & Regulatory

Compressed Block Ack Rx (buffer size 256)



**Certification ID: WFA133611** 



Role: Access Point Page 3 of 5

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

Dynamic MU SMPS

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

**BSRP** Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

#### Wi-Fi CERTIFIED 7™ (continued)

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL MU-MIMO** 

UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

**STBC** 

SU beamformer

#### Wi-Fi CERTIFIED™ b



**Certification ID: WFA133611** 



Role: Access Point

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12



**Certification ID: WFA133611** 



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™