



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA125313

Product Info

Date of Certification May 13, 2025

Company NXP Semiconductors

Product Name CA2

Product Model Variant 8987-p149.4

Model Number W8987

Category Other

Sub-category Embedded Module

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA125313



Role: Access Point	Page 2 of 5
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture
Wi-Fi Component Firmware p149.4	Bands Supported Transmit (Tx) Receive (Rx) 2.4 GHz 1 1 5 GHz 1 1
Certifications	
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ a
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™ ac
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	A-MPDU with A-MSDU Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8 Rx MCS 8-9 Rx RTS with BW Signaling
Protected Management Frames	Short Guard Interval
Spectrum & Regulatory	Wi-Fi CERTIFIED™ b
802.11d 802.11h	Wi-Fi CERTIFIED™ g
	Wi-Fi CERTIFIED™ n
WMM® Max Throughput	A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel
WPA2™-Personal 2021-01	Short Guard Interval
WPA3™-Personal 2024-10	Wi-Fi Protected Setup™



Certification ID: WFA125313



Role: Access Point	Page 3 of 5
Wi-Fi Protected Setup™ (continued)	
PIN Pushbutton	



Certification ID: WFA125313



Role: Station Page 4 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

p149.4

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2[™]-Enterprise 2018-04 (continued)

EAP FAST-MSCHAPv2

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2[™]-Personal 2021-01

Protected Management Frames

Spectrum & Regulatory

802.11h

WMM®

Max Throughput

WPA2™-Enterprise 2018-04

EAP methods

EAP FAST-GTC

WPA3™-Enterprise 2022-12

EAP methods

EAP FAST-MSCHAPv2

EAP FAST-GTC

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Server Certificate Validation



PIN

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA125313



Role: Station Page 5 of 5 Wi-Fi Protected Setup™ (continued) WPA3™-Personal 2024-10 Wi-Fi Agile Multiband™ Pushbutton Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel **Power Management** Short Guard Interval Wi-Fi Direct® Wi-Fi Direct with WPA2 Wi-Fi Protected Setup™