



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA136110**

#### **Product Info**

Date of Certification	May 6, 2025
Company	Orange
Product Name	Livebox LB6s
Product Model Variant	PRV33AX246B-H1-LT
Model Number	PRV33AX246B-H1-LT
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

#### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2024-10
Spectrum & Regulatory Features	Spectrum & Regulatory



**Certification ID: WFA136110** 



#### **Role: Access Point**

#### Page 2 of 4

### Wi-Fi Components Wi-Fi Component Operating System Linux 4.19.294 Wi-Fi Component Firmware 17.10.251.7305

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	4	4

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

#### Spectrum & Regulatory

802.11h

#### WMM®

WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Personal 2024-10

Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6® Release 2

4 antenna support A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU Beamforming sounding **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame Operating mode subfield in A-Control field Operating mode indication Operating mode UL MU Rx SU beamformer SU-MIMO **TXOP RTS Threshold** 

This certificate was downloaded on 2025-05-07 at 15:09:55 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter<sup>™</sup> is a trademark of the Connectivity Standards Alliance.



**Certification ID: WFA136110** 



#### **Role: Access Point**

#### Page 3 of 4

Role: Access Point	Page 3 of 4
Wi-Fi CERTIFIED 6® Release 2 (continued)	Wi-Fi CERTIFIED™ n (continued)
UL OFDMA Wi-Fi 6 Release 2 features	STBC
UL MU-MIMO UL MU Control	Wi-Fi Protected Setup™
UL Extended Range Target Wake Time information frames Broadcast Target Wake Time Extended sleep	PIN Pushbutton
Dynamic MU SMPS Preamble Puncturing	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU DL MU-MIMO	
LDPC Rx LDPC Tx	
MCS 8-9 Rx Short Guard Interval	
STBC SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval

This certificate was downloaded on 2025-05-07 at 15:09:55 UTC

Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



## Certification ID: WFA136110



# Role: Controller Page 4 of 4 Wi-Fi Components Vi-Fi Component Operating System Linux 4.19.294 Vi-Fi Component Certifications Vi-Fi EasyMesh™

This certificate was downloaded on **2025-05-07** at **15:09:55** UTC Wi-Fi<sup>®</sup>, Wi-Fi CERTIFIED<sup>®</sup>, Wi-Fi Alliance<sup>®</sup>, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.