



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA136209

Product Info

Date of Certification May 14, 2025

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant eKitEngine AP771

Model Number eKitEngine AP771

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12 Wi-Fi Enhanced Open[™] 2023-12

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA136209



Role: Access Point		Page 2 of 4
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Wi-Fi Component Firmware Ver.A	Bands Supported T	Fransmit (Tx) Receive (Rx)
	2.4 GHz 4	4
	5 GHz 4	4
	6 GHz	4
	0 31.12	
Certifications		
2.4 GHz Spectrum Capabilities	Spectrum & Regulate	ory (continued)
20 MHz Channel Width in 2.4 GHz	802.11d	
40 MHz Channel Width in 2.4 GHz	802.11h	
5 GHz Spectrum Capabilities	WMM®	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2	2018-04
80 MHz Channel Width in 5 GHz	EAP methods	
160 MHz Channel Width in 5 GHz		
6 GHz Spectrum Capabilities	WPA2™-Personal 20	21-01
	WPA3™-Enterprise 2	2022-12
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP methods	
80 MHz Channel Width in 6 GHz		
160 MHz Channel Width in 6 GHz	WPA3™-Personal 20	23-12
320 MHz channel width in 6 GHz		
Protected Management Frames	AKM 24 Beacon Protection	
Spectrum & Regulatory	Wi-Fi Agile Multiband	d™



Certification ID: WFA136209



Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™ (continued)

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

Operating mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g



Certification ID: WFA136209



Role: Access Point	Page 4 of 4
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
Wi-Fi Enhanced Open™ 2023-12	
Wi-i i Lillianced Open 2025-12	