



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA136212

Product Info

Date of Certification May 14, 2025

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant AirEngine8776-X7ET-T

Model Number AirEngine8776-X7ET-T

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12 Wi-Fi Enhanced Open[™] 2023-12

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA136212



Role: Access Point		Pa	age 2 of 4
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Wi-Fi Component Firmware	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	4	4
Ver.A	5 GHz	4	4
	6 GHz	4	4
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regul	atory (continue	d)
20 MHz Channel Width in 2.4 GHz	802.11d		
40 MHz Channel Width in 2.4 GHz	802.11h		
5 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	e 2018-04	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
160 MHz Channel Width in 5 GHz			
6 GHz Spectrum Capabilities	WPA2™-Personal	2021-01	
20 MHz Channel Width in 6 GHz	WPA3™-Enterpris	e 2022-12	
40 MHz Channel Width in 6 GHz	EAP methods		
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz			
320 MHz channel width in 6 GHz	WPA3™-Personal	2023-12	
Due to start Management France	AKM 24 Beacon Protection		
Protected Management Frames	Deacon Protection		
Spectrum & Regulatory	Wi-Fi Agile Multiba	and™	



Certification ID: WFA136212



Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™ (continued)

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

Operating mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g



Certification ID: WFA136212

