

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA136258

Product Info

Date of Certification May 20, 2025

Company Desay SV Automotive

Product Name Domain Controller Module

Product Model Variant IC02415/018

Model Number IC02415/018

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA136258



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

17.68.1.p136.38

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA136258



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

17.68.1.p136.38

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

Wi-Fi CERTIFIED™ ac (continued)

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling A-MPDU with A-MSDU LDPC Rx A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval