

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA136283

Product Info

Date of Certification May 19, 2025

COOSEA GROUP (HK) COMPANY LIMITED

Product Name Smart Phone

Product Model Variant SN512A

Model Number SN512A

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Network management WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



A-MPDU with A-MSDU

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA136283



Role: Access Point		P	age 2 of 4
Vi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 15	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
t-neptune-main-soc2_2-2216- CHANDON_SOC2_2_E1_MT6631_ASIC_MI NIROM_SEC-20250320110401	5 GHz	1	1
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™	[™] ac (continued)
20 MHz Channel Width in 2.4 GHz	MCS 8-9 Rx Short Guard Interval		
5 GHz Spectrum Capabilities	Wi El GERTIFIER	M I-	
20 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™	™ b	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™	[™] g	
	Wi-Fi CERTIFIED™	™ n	
Protected Management Frames	OBSS on Extension Cha	annel	
WMM®	Short Guard Interval		
WMM®-Power Save			
WPA2™-Personal 2021-01			
WPA3™-Personal 2024-10			
Wi-Fi CERTIFIED™ a			
Wi-Fi CERTIFIED™ ac			
A MEDIU W A MODU			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA136283



Role: Station Page 3 of 4 Wi-Fi Components Wi-Fi Component Operating System **RF Architecture** Android 15 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz t-neptune-main-soc2 2-2216-CHANDON_SOC2_2_E1_MT6631_ASIC_MI 5 GHz NIROM SEC-20250320110401 Certifications 2.4 GHz Spectrum Capabilities WPA2™-Enterprise 2018-04 (continued) 20 MHz Channel Width in 2.4 GHz EAP methods **EAP TLS EAP TTLS 5 GHz Spectrum Capabilities** PEAPv0 PEAPv1 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 Passpoint® Release 3

Venue Information

Roaming Consortium Selection

venue iniornation

Terms and Conditions

Protected Management Frames

WMM®-Power Save

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2024-10

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA136283



Role: Station Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC