



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

### Certification ID: WFA132231

### **Product Info**

**Date of Certification** October 23, 2025

H<sub>3</sub>C Company

**Product Name** H3C WA7330X WLAN AP with H3C WX Series WLAN Controller

**Product Model Variant** WA7330X 2025/10/21

**Model Number** H3C WA7330X WLAN AP

Routers Category

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Passpoint® Release 3 Access

**Network management WMM®** 

Wi-Fi Agile Multiband™

Security **Protected Management Frames** 

> WPA2<sup>™</sup>-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12 Wi-Fi Enhanced Open™ 2023-12

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

> 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities

Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



**Certification ID: WFA132231** 



Role: Access Point		Pa	Page 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Comware	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware V700R001	2.4 GHz	2	2	
V / OUI (OU I	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Passpoint® Relea	Passpoint® Release 3 (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Terms and Conditions  Venue Information			
10 MHZ GHAING WAATHI Z. T GTZ	Volido IIIIO/IIIdaio/I			
5 GHz Spectrum Capabilities	Protected Manage	Protected Management Frames		
20 MHz Channel Width in 5 GHz	Spectrum & Regulatory			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	802.11d	802.11d		
160 MHz Channel Width in 5 GHz	802.11h	802.11h		
6 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 6 GHz				
40 MHz Channel Width in 6 GHz	WPA2™-Enterprise 2018-04			
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	EAP methods			
320 MHz channel width in 6 GHz	WPA2™-Personal 2021-01			
Passpoint® Release 3	WPA3™-Enterpris			
		5 <del>6-2022-</del> 12		
Roaming Consortium Selection	EAP methods	EAP methods		



**Certification ID: WFA132231** 



Role: Access Point Page 3 of 4

#### WPA3™-Enterprise 2022-12 (continued)

192-bit security

#### WPA3™-Personal 2023-12

AKM 24

**Beacon Protection** 

#### Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

#### Wi-Fi CERTIFIED 7™

#### Wi-Fi CERTIFIED 7™ (continued)

A-MPDU with A-MSDU

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL MU-MIMO** 

UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx



**Certification ID: WFA132231** 



Role: Access Point

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12