



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA138075

Product Info

Date of Certification November 4, 2025

Company NTT Corporation

Product Name XG-200KI

Product Model Variant New product model

Model Number XG-200KI

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi EasyMesh™

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2024-10 Wi-Fi Enhanced Open[™] 2023-12

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Certification ID: WFA138075



Role: Access Point		Pa	age 2 of 6
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Linux Wi-Fi Component Firmware v8.2.1.5	Bands Supported 2.4 GHz	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Operating System Linux Wi-Fi Component Firmware v8.2.1.5	RF Architecture		
	Bands Supported 6 GHz	Transmit (Tx)	Receive (Rx)
	RF Architecture		
	Bands Supported 5 GHz	Transmit (Tx)	Receive (Rx)
Certifications			
2.4 GHz Spectrum Capabilities	6 GHz Spectrum (Capabilities (con	tinued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz		
5 GHz Spectrum Capabilities			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	Protected Management Frames		
	WMM®		
6 GHz Spectrum Capabilities	WMM®-Power Sa	ve	
	Unschedule auto PS		



Certification ID: WFA138075



Role: Access Point Page 3 of 6

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

AKM 24

Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

Wi-Fi CERTIFIED 6® Release 2 (continued)

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Extended sleep

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx



Certification ID: WFA138075



Role: Access Point Page 4 of 6

Wi-Fi CERTIFIED 7™ (continued)

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul in 5 GHz high band

Backhaul in 6 GHz

Backhaul over MLO

Multi-link Backhaul STA

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Fronthaul in 5 GHz high band

Fronthaul in 6 GHz

Advertised TID-to-link mapping

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Channel Scan on Request

Coordinated CAC

Early AP Capability Reporting

Indefinite/Timed Block of stations

Traffic separation

Unassociated STA Link Metrics Reporting

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN



Certification ID: WFA138075



Role: Access Point	Page 5 of 6
Wi-Fi Protected Setup™ (continued)	
Pushbutton	



Certification ID: WFA138075



Role: Controller	Page 6 of 6
Wi-Fi Components	
Wi-Fi Component Operating System	
Linux	
Certifications	
Wi-Fi EasyMesh™	
Onboarding with Wi-Fi Easy Connect QR code	