

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA79027

Product Info

Date of Certification December 7, 2018

Company Cambium Networks Ltd.

Product Name cnPilot e700 Access Point / cnMaestro

Product Model Variant 2018-12-07 (WFA79027 - 7475934)

Model Number cnPilot e700

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA79027

Role: Access Point	Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

3.7-a0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Passpoint® Release 2

Online Sign Up and Policy provisioning

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA79027

Role: Access Point	
Wi-Fi CERTIFIED™ n (continued)	
OBSS on Extension Channel RIFS Short Guard Interval A-MPDU Tx	