



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA96859**

## Product Info

<b>Date of Certification</b>	April 17, 2020
<b>Company</b>	ASUSTeK Computer Inc.
<b>Product Name</b>	AX6600 Tri Band WiFi Router
<b>Product Model Variant</b>	2020-04-17 (WFA96859 - 10727782)
<b>Model Number</b>	XT8
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA96859



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

17.10.99.17

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods

### WPA2™-Personal 2018-04

### WPA3™-Enterprise 2018-04

EAP methods

### WPA3™-Personal 2019-08

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
Operating mode subfield in A-Control field  
Operating mode indication  
Operating mode UL MU Rx  
SU beamformer  
SU-MIMO



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA96859



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 6® (continued)

TXOP RTS Threshold  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™

PIN  
Pushbutton