



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA97540**

## Product Info

<b>Date of Certification</b>	August 13, 2020
<b>Company</b>	Buffalo Inc.
<b>Product Name</b>	BUFFALO AirStation WSR-5400AX6
<b>Product Model Variant</b>	WSR-5400AX6/S/B/P Series
<b>Model Number</b>	WSR-5400AX6
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2018-04 WPA3™-Personal 2019-08



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA97540



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

V1.01

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
 40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
 40 MHz Channel Width in 5 GHz  
 80 MHz Channel Width in 5 GHz  
 160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2018-04

### WPA3™-Personal 2019-08

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

4 antenna support

### Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU  
 Basic Trigger frame in HE MU PPDU  
 BSRP Trigger frame  
 DL MU-MIMO  
 DL OFDMA  
 Individual Target Wake Time  
 LDPC Rx  
 LDPC Tx  
 MCS 8-9 Rx  
 MCS 8-9 Tx  
 MCS 10-11 Rx  
 MCS 10-11 Tx  
 MU EDCA Parameter Set element  
 MU-BAR Trigger frame  
 Operating mode indication  
 SU beamformer  
 TXOP RTS Threshold  
 UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA97540



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED™ ac (continued)

DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™

PIN  
Pushbutton