



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA51046

Product Info

Date of Certification December 9, 2013

Company LG Electronics

Product Name LGE Smart Phone

Product Model Variant 2013-12-09 (WFA51046 - 1462785)

Model Number LG-VS876

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 1

Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security WPA2[™]-Enterprise

WPA2™-Personal







Role: Station			Page 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:(empty)	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	1	1	
(empty)		•	-	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterpri	WPA2™-Enterprise (continued)		
20 MHz Channel Width in 2.4 GHz	PEAPv0			
40 MHz Channel Width in 2.4 GHz	PEAPv1			
5 GHz Spectrum Capabilities	WPA2™-Persona	1		
5 GHZ Spectrum Capabilities	WPA2 ····- Persona	1		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED	™ a		
	Wi-Fi CERTIFIED	™ b		
Passpoint® Release 1	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ g		
WMM®	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ n		
WMM®-Power Save	STBC			
WPA2™-Enterprise	A-MPDU Tx OBSS on Extension Ch	annal .		
•	RIFS	annei		
EAP methods EAP AKA	Short Guard Interval			
EAP AKA Prime				
EAP FAST-MSCHAPv2	Wi-Fi Direct®			
EAP SIM				
EAP TLS EAP TTLS	Wi-Fi Protected S	etup™		





Certification ID: WFA51046

Role: Station	Page 3 of 4
Wi-Fi Protected Setup™ (continued)	
PIN Pushbutton	





Certification ID: WFA51046

Role: Source	Page 4 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System Android, version:(empty) Wi-Fi Component Firmware (empty)	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	1	1
Certifications			
Miracast®			
HDCP Encryption			