

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA55194

Product Info

Date of Certification July 9, 2014

Company Qualcomm

Product Name Qualcomm Atheros QCA61x4 Wireless Network Adapter

Product Model Variant 2014-07-09 (WFA55194 - 2039109)

Model Number NFA344

Category Other

Sub-category Reference Design

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise WPA2[™]-Personal WPA[™]-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features



Wi-Fi CERTIFIED™ Certificate





Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Proprietary / Other, description:Win8.1

Wi-Fi Component Firmware

X86_Host_100258_FW_1.1-00088

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise

EAP methods
EAP TLS
EAP TTLS
PEAPv0

WPA2™-Personal

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx

Short Guard Interval STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA55194

Role: Station	Page 3 of 3
Wi-Fi CERTIFIED™ n	
STBC A-MPDU Tx OBSS on Extension Channel RIFS Power Management Short Guard Interval	
Wi-Fi Protected Setup™ PIN Pushbutton	