

### Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

### **Certification ID: WFA55760**

#### **Product Info**

**Date of Certification** August 22, 2014

Company Samsung Electronics

Product Name SM-G530H/DS

**Product Model Variant** 2014-08-22 (WFA55760 - 2186920)

Model Number SM-G530H/DS

**Category** Phones

**Sub-category** Smartphone

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

**Connectivity** 2.4 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

**Security** WPA2<sup>™</sup>-Enterprise

WPA2<sup>™</sup>-Personal WPA<sup>™</sup>-Enterprise WPA<sup>™</sup>-Personal



# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA55760** 

Role: Station	Page 2 of 3		
Vi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android	Bands Supported Transmit (Tx) Receive (Rx)		
Wi-Fi Component Firmware			
REV1.0	2.4 GHz 1 1		
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b		
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™ g		
WMM®	Wi-Fi CERTIFIED™ n		
WMM®-Power Save	STBC		
William - Fower Save	A-MPDU Tx RIFS		
Legacy Power Save	Power Management		
Unschedule auto PS	Short Guard Interval		
WPA2™-Enterprise	Wi-Fi Direct®		
EAP methods	Wi-Fi Protected Setup™		
EAP AKA	Wi-i i Flotecteu Setup		
EAP SIM EAP TLS	PIN		
EAP TTLS	Pushbutton		
PEAPv0			
PEAPv1			
WPA2™-Personal			
WPA™-Enterprise			



# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA55760** 

Role: Source Page 3 c			age 3 of 3	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android  Wi-Fi Component Firmware  REV1.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	1	1	
Certifications				
Miracast®				
HDCP Encryption				