



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA58122**

## Product Info

<b>Date of Certification</b>	January 16, 2015
<b>Company</b>	Cisco Systems
<b>Product Name</b>	Cisco 5700 Series WLAN Controller and CAP2702 AP
<b>Product Model Variant</b>	2015-01-16 (WFA58122 - 5359259)
<b>Model Number</b>	AIR-CT5700 and AIR-CAP2702
<b>Category</b>	Routers
<b>Sub-category</b>	Enterprise/Service Provider Access Point, Switch/Controller or Router

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM®
<b>Security</b>	Protected Management Frames WPA2™-Enterprise WPA2™-Personal
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA58122



Role: Access Point

Page 2 of 2

## Wi-Fi Components

### Wi-Fi Component Operating System

Proprietary / Other, version:3.6.0.WFA,  
description:Cisco IOS-XE

### Wi-Fi Component Firmware

3.6.0.WFA

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	3	3
5 GHz	3	3

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d  
802.11h

### WMM®

### WPA2™-Enterprise

EAP methods

### WPA2™-Personal

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

RIFS  
Short Guard Interval  
STBC  
A-MPDU Tx