



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA63698

Product Info

Date of Certification November 9, 2016

Company Samsung Electronics

Product Name SM-G930K

Product Model Variant 2016-11-09 (WFA63698 - 5486137)

Model Number SM-G930K

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2™-Enterprise WPA2™-Personal



Certification ID: WFA63698



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA63698



Role: Station		P	Page 3 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System Android, version:7.0 Wi-Fi Component Firmware	RF Architecture			
	Bands Supported	Transmit (Tx)	Receive (Rx)	
REV1.0	2.4 GHz	2	2	
	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)			
20 MHz Channel Width in 2.4 GHz	Legacy Power Save			
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Enterprise			
20 MHz Channel Width in 5 GHz	EAP methods			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime			
	EAP FAST-MSCHAPv2			
Protected Management Frames	EAP SIM EAP TLS			
Spectrum & Regulatory	EAP TTLS			
	PEAPv1			
802.11h				
Voice-Enterprise	WPA2™-Personal			
WMM®	Wi-Fi CERTIFIED™ a			
WMM®-Admission Control	Wi-Fi CERTIFIED™ ac			
WMM®-Power Save	A-MPDU with A-MSDU LDPC Rx			



Certification ID: WFA63698



Role: Station Page 4 of 5 Wi-Fi CERTIFIED™ ac (continued) MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode **OBSS** on Extension Channel **RIFS Power Management** Short Guard Interval Wi-Fi Direct® Wi-Fi Protected Setup™ PIN Pushbutton





Role: Source Page 5 of 5 Wi-Fi Components **Wi-Fi Component Operating System RF Architecture** Android, version:7.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2 2.4 GHz 2 REV1.0 2 2 5 GHz **Certifications Miracast® HDCP Encryption**