



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA64565

Product Info

Date of Certification December 30, 2016

Company Samsung Electronics

Product Name SM-G930VL

Product Model Variant 2016-12-30 (WFA64565 - 5524473)

Model Number SM-G930VL

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Applications Miracast®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save

Performance Voice-Enterprise

Security Protected Management Frames

WPA2™-Enterprise WPA2™-Personal

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g



Certification ID: WFA64565



Summary of Certifications (continued) Page 2 of 5 CLASSIFICATION CERTIFICATION Wi-Fi (MAC/PHY) Wi-Fi CERTIFIED™ n







Role: Station Page 3 of 5 Wi-Fi Components **RF Architecture** Wi-Fi Component Operating System Android, version:7.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz REV1.0 5 GHz Certifications 2.4 GHz Spectrum Capabilities WMM®-Power Save (continued) 20 MHz Channel Width in 2.4 GHz Legacy Power Save 40 MHz Channel Width in 2.4 GHz Unschedule auto PS **WPA2™-Enterprise 5 GHz Spectrum Capabilities** 20 MHz Channel Width in 5 GHz EAP methods 40 MHz Channel Width in 5 GHz EAP AKA 80 MHz Channel Width in 5 GHz **EAP AKA Prime** EAP FAST-MSCHAPv2

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WPA2™-Personal

EAP SIM

EAP TLS
EAP TTLS

PEAPv0 PEAPv1

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU



Pushbutton

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA64565



Role: Station Page 4 of 5 Wi-Fi CERTIFIED™ ac (continued) DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx HT Duplicate Mode **OBSS** on Extension Channel RIFS **Power Management** Short Guard Interval Wi-Fi Direct® Wi-Fi Protected Setup™ PIN







Role: Source		Page 5 of 5	
Wi-Fi Components			
Wi-Fi Component Operating System Android, version:7.0 Wi-Fi Component Firmware REV1.0	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
Miracast®			
HDCP Encryption			