



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

### **Certification ID: WFA63739**

#### **Product Info**

**Date of Certification** April 16, 2018

Company Samsung Electronics

Product Name SM-G9300

**Product Model Variant** 2018-04-16 (WFA63739 - 7134716)

Model Number SM-G9300

**Category** Phones

**Sub-category** Smartphone

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save

**Security** Protected Management Frames

WPA2™-Enterprise

WPA2™-Personal 2017-10

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA63739** 

Summary	of.	<b>Certifications</b>	continued
<u> </u>		- oi uii ou ui oii o	OULIGIE

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 





**Certification ID: WFA63739** 

Role: Station	Page 3 of 5				
Wi-Fi Components					
Wi-Fi Component Operating System Android, version:8.0	RF Architecture				
	Bands Supported Transmit (Tx) Receive (Rx)				
Wi-Fi Component Firmware REV1.0	2.4 GHz 2 2				
NLV1.0	5 GHz 2 2				
Certifications					
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)				
20 MHz Channel Width in 2.4 GHz	Legacy Power Save				
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS				
5 GHz Spectrum Capabilities	WPA2™-Enterprise				
20 MHz Channel Width in 5 GHz	Hz EAP methods				
40 MHz Channel Width in 5 GHz	EAP AKA				
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP FAST-MSCHAPv2				
Protected Management Frames	EAP SIM EAP TLS				
Spectrum & Regulatory	EAP TTLS PEAPv0				
802.11h	PEAPv1				
Voice-Enterprise	WPA2™-Personal 2017-10				
WMM®	WPA™-Enterprise				
WMM®-Admission Control	WPA™-Personal				
WMM®-Power Save	Wi-Fi CERTIFIED™ a				
	Wi-Fi CERTIFIED™ ac				





**Certification ID: WFA63739** 

Role: Station
Wi-Fi CERTIFIED™ ac (continued)
Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx Short Guard Interval
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ h
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS  Power Management
Wi-Fi CERTIFIED™ g  Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS  Power Management
Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS  Power Management  Short Guard Interval  Wi-Fi Direct®
Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS  Power Management  Short Guard Interval
Wi-Fi CERTIFIED™ n  STBC  A-MPDU Tx  HT Duplicate Mode  OBSS on Extension Channel  RIFS  Power Management  Short Guard Interval  Wi-Fi Direct®





**Certification ID: WFA63739** 

Role: Source	Page 5 of 5		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:8.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware REV1.0	2.4 GHz	2	2
TCL V 1.0	5 GHz	2	2
Certifications  Miracast®  HDCP Encryption			