

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA80326

Product Info

Date of Certification August 22, 2019

Company Allied Telesis Holdings K.K.

Product Name AT-TQ5403e

Product Model Variant 2019-08-22 (WFA80326 - 8250024)

Model Number AT-TQ5403e

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA80326



Role: Access Point		Page 2 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux, version:kernel version 4.14.63	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
10.4	5 GHz	2	2

ertifications			
2.4 GHz Spectrum Capabilities	WPA3™-Enterprise 2018-04 (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	192-bit security		
5.011-0	WPA3™-Personal 2019-08		
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ a		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ ac		
	RTS with BW Signaling Extended 5 GHz Channel Support		
Protected Management Frames	A-MPDU with A-MSDU		
WMM®	DL MU-MIMO LDPC Rx		
WPA2™-Enterprise 2018-04	LDPC Tx MCS 8-9 Rx		
EAP methods	Short Guard Interval STBC SU beamformer		
WPA2™-Personal 2018-04			
WPA3™-Enterprise 2018-04	Wi-Fi CERTIFIED™ b		
EAP methods	Wi-Fi CERTIFIED™ g		
	Wi-Fi CERTIFIED™ n		



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA80326



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel Short Guard Interval STBC

A-MPDU Tx