



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA90080

Product Info

Date of Certification	November 18, 2019
Company	Samsung Electronics
Product Name	SM-N976V
Product Model Variant	2019-11-18 (WFA90080 - 10092593)
Model Number	SM-N976V
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED [™] a Wi-Fi CERTIFIED [™] ac Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] g Wi-Fi CERTIFIED [™] n Wi-Fi Direct® Wi-Fi Enhanced Open [™] 2018-04
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2018
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04



Certification ID: WFA90080



Summary of Certifications (continued)Page 2 of 5		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



WMM®-Power Save

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA90080



Role: Station	Page 3 of 5
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Android, version:10.0	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 2 2
18.40.15.1	5 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)
20 MHz Channel Width in 2.4 GHz	Legacy Power Save
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz	EAP methods
40 MHz Channel Width in 5 GHz	EAP AKA
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP SIM
	EAP TLS
Protected Management Frames	EAP TTLS
	PEAPv0
Spectrum & Regulatory	PEAPv1
802.11h	
	WPA2™-Personal 2018-04
Voice-Enterprise	WPA3™-Enterprise 2018-04
Voice-Enterprise WMM®	

EAP AKA Prime EAP SIM

EAP TLS



Certification ID: WFA90080



Role: Station

Page 4 of 5

WPA3[™]-Enterprise 2018-04 (continued)

EAP TTLS PEAPv0

PEAPv1

. _, . . .

WPA3™-Personal 2019-08

WPA[™]-Enterprise

WPA[™]-Personal

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable Fast Transition OTA on WPA2-Personal

Wi-Fi Aware™

Bluetooth® Low Energy - Browser Bluetooth® Low Energy - Provider Bluetooth® Low Energy - Seeker Device Ranging

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU BSRP Trigger frame DL Mu PPDU multi-tone DL MU-MIMO Individual Target Wake Time LDPC Rx LDPC Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame OM Control field Tx Operating Mode indication SU beamformee UL OFDMA UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel



Certification ID: WFA90080



Role: Station

Page 5 of 5

Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi Optimized Connectivity[™] 2018