



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA80992

Product Info

Date of Certification January 20, 2020

Company Hewlett Packard Enterprise

Product Name Aruba Multiservice Mobility Controller/AP-515 Access Point

Product Model Variant 2020-01-20 (WFA80992 - 10351472)

Model Number AP-515

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2018-04

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08

WPA™-Enterprise WPA™-Personal





Certification ID: WFA80992

Summary	of I	Certificat	tions (cont	inued)
Julillialy		oei liiica	เเบเเอ	COIIL	IIIucu,

Page 2 of 4

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features





Certification ID: WFA80992

Role: Access Point	Page 3 of 4				
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Proprietary / Other, description:ArubaOS	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware 8.6	2.4 GHz	2	2		
0.0	5 GHz	4	4		
Certifications					
2.4 GHz Spectrum Capabilities	WMM®-Power Save				
20 MHz Channel Width in 2.4 GHz	Legacy Power Save				
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS				
5 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04			
20 MHz Channel Width in 5 GHz	EAP methods				
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz			_		
	WPA2™-Personal	2018-04			
Passpoint® Release 2	WPA3™-Enterpris	e 2018-04			
Online Sign Up and Policy provisioning	EAP methods				
	192-bit security				
Protected Management Frames	WPA3™-Personal	2019-08			
Spectrum & Regulatory	WPA™-Enterprise				
802.11d					
802.11h	WPA™-Personal				
WMM®	Wi-Fi Agile Multib	Wi-Fi Agile Multiband™			





Certification ID: WFA80992

Role: Access Point

Page 4 of 4

Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

Operating Mode indication

SU beamformer

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx