



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA92291

Product Info

Date of Certification February 15, 2020

Company Fortinet Inc.

Product Name FortiAP 231E and FortiGate 800D Controller

Product Model Variant 2020-02-15 (WFA92291 - 10647946)

Model Number FAP-231E and FG-800D Controller

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2018-04

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08

WPA™-Enterprise





Certification ID: WFA92291

| Summary of | of Certifications | (continued) |) |
|------------|-------------------|-------------|---|
| | | | |

Page 2 of 4

CLASSIFICATION CERTIFICATION

Security WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA92291

| Role: Access Point | | P | age 3 of 4 |
|--|--------------------|---------------|--------------|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System | RF Architecture | | |
| Proprietary / Other, version:6.2, description: FortiOS | Bands Supported | Transmit (Tx) | Receive (Rx) |
| Wi-Fi Component Firmware | 2.4 GHz | 2 | 2 |
| 6.2 | 5 GHz | 2 | 2 |
| Certifications | | | |
| 2.4 GHz Spectrum Capabilities | WMM® | | |
| 20 MHz Channel Width in 2.4 GHz | WMM®-Admission | on Control | |
| 40 MHz Channel Width in 2.4 GHz | WMM®-Power Sa | ave | |
| 5 GHz Spectrum Capabilities | Legacy Power Save | | |
| 20 MHz Channel Width in 5 GHz | Unschedule auto PS | | |
| 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz | IMPACIM Fortening | : 0040 04 | |
| 60 IVII iz Channei Widin in 5 Griz | WPA2™-Enterpr | ISE 2018-04 | |
| Passpoint® Release 2 | EAP methods | | |
| Online Sign Up and Policy provisioning | WPA2™-Persona | al 2018-04 | |
| Protected Management Frames | WPA3™-Enterpr | ise 2018-04 | |
| | EAP methods | | |
| Spectrum & Regulatory | 192-bit security | | |
| 802.11d | 14/D 4 6 TH D | | |
| 802.11h | WPA3™-Persona | al 2019-08 | |
| Voice-Enterprise | WPA™-Enterpris | se | |
| | WPA™-Personal | | |





Certification ID: WFA92291

| Role: Access Point | Page 4 of 4 |
|--|-------------|
| Wi-Fi CERTIFIED™ a | |
| Wi-Fi CERTIFIED™ ac | |
| A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer | |
| Wi-Fi CERTIFIED™ b | |
| Wi-Fi CERTIFIED™ g | |
| Wi-Fi CERTIFIED™ n | |
| OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx | |
| Wi-Fi Enhanced Open™ 2018-04 | |