

# Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

# **Certification ID: WFA97465**

# **Product Info**

**Date of Certification** April 17, 2020

**Company** Huawei Device Co., Ltd.

Product Name LTE CPE

**Product Model Variant** 2020-04-17 (WFA97465 - 10877642)

Model Number B610h-71a

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Personal 2019-08

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED® Certificate

**Certification ID: WFA97465** 



Role: Access Point Page 2 of 3

## **Wi-Fi Components**

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

Hi1152 V100R001C01

### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

### Certifications

# 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

## **Protected Management Frames**

**WMM®** 

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08



# Wi-Fi CERTIFIED® Certificate

**Certification ID: WFA97465** 



Role: Access Point Page 3 of 3

# Wi-Fi CERTIFIED 6® (continued)

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

# Wi-Fi Protected Setup™ (continued)

PIN

Pushbutton

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

### Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

## Wi-Fi Protected Setup™