



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA81251**

#### **Product Info**

**Date of Certification** May 12, 2020

Company Samsung Electronics

Product Name SM-G975U1

**Product Model Variant** 2020-05-12 (WFA81251 - 10968285)

Model Number SM-G975U1

**Category** Phones

**Sub-category** Smartphone

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Alternative topologies Wi-Fi Aware™

Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2018

Performance Voice-Enterprise

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Enterprise 2018-04 WPA3<sup>™</sup>-Personal 2019-08 Wi-Fi Enhanced Open<sup>™</sup> 2018-04

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a



#### **Certification ID: WFA81251**



Summary of Certifications (continued)		Page 2 of 4
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	







**Role: Station** Page 3 of 4 Wi-Fi Components Wi-Fi Component Operating System **RF Architecture** Android, version:10.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 100.11.3.1 13.48.6 5 GHz Certifications 2.4 GHz Spectrum Capabilities WPA2<sup>™</sup>-Enterprise 2018-04 (continued) 20 MHz Channel Width in 2.4 GHz **EAP TLS** WPA2™-Personal 2018-04 5 GHz Spectrum Capabilities WPA3™-Enterprise 2018-04 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz **EAP TLS Protected Management Frames** WPA3™-Personal 2019-08 Spectrum & Regulatory Wi-Fi Agile Multiband™ Voice-Enterprise Wi-Fi Aware™ **WMM®** Bluetooth® Low Energy - Browser Bluetooth® Low Energy - Provider Bluetooth® Low Energy - Seeker **WMM®-Admission Control Device Ranging WMM®-Power Save** Wi-Fi CERTIFIED 6® WPA2™-Enterprise 2018-04 BSRP Trigger frame EAP methods



#### **Certification ID: WFA81251**



Role: Station Page 4 of 4

# Wi-Fi CERTIFIED 6® (continued) DL MU-MIMO Individual Target Wake Time LDPC Rx LDPC Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame M-BSSID Operating mode indication SU beamformee **UL OFDMA** Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Short Guard Interval Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2018-04 Wi-Fi Optimized Connectivity™ 2018