Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA81500

Product Info

Date of Certification	May 12, 2020
Company	Samsung Electronics
Product Name	SM-G9758
Product Model Variant	2020-05-12 (WFA81500 - 10968939)
Model Number	SM-G9758
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Alternative topologies	Wi-Fi Aware™ Wi-Fi Direct®
Network management	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2018
Performance	Voice-Enterprise
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 Wi-Fi Enhanced Open™ 2018-04
Wi-Fi (MAC/PHY)	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA81500

CLASSIFICATION	CERTIFICATION
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ ac
	Wi-Fi CERTIFIED™ b
	Wi-Fi CERTIFIED™ g
	Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED™ Certificate
Certification ID: WFA81500

Wi-Fi Components

Wi-Fi Component Operating System
Android, version:10.0

Wi-Fi Component Firmware
100.11.3.1 13.48.6

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities
20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities
20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WPA2™-Enterprise 2018-04
EAP methods

WPA2™-Enterprise 2018-04 (continued)
EAP TLS

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04
EAP TLS

WPA3™-Personal 2019-08

Wi-Fi Agile Multiband™

Wi-Fi Aware™
Bluetooth® Low Energy - Browser
Bluetooth® Low Energy - Provider
Bluetooth® Low Energy - Seeker
Device Ranging

Wi-Fi CERTIFIED 6®
BSRP Trigger frame

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO

Individual Target Wake Time

LDPC Rx

LDPC Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi Optimized Connectivity™ 2018